

Message

From: Boykin, Danla [Boykin.Danla@epa.gov]
Sent: 1/13/2022 11:19:24 AM
To: Doctor, Katherine [Doctor.Katherine@epa.gov]
CC: Cruz, Auria [Cruz.Auria@epa.gov]; Chan, Suilin [Chan.Suilin@epa.gov]; Hurley, Kevin [Hurley.Kevin@epa.gov]; Timander, Linda [Timander.Linda@epa.gov]
Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Good Morning Kathy,

I have no control over AX assignments. This assignment can be sent to another region, it is an AX which means it was assigned by HQ. Please request reassignment in CMS with the justification of why it needs to be sent to another region.

Feel free to contact me with any questions or concerns.

Thank you,

Danla Boykin
US EPA – Region 2
Mission Support Division
(212) 637-3587

From: Doctor, Katherine <Doctor.Katherine@epa.gov>
Sent: Wednesday, January 12, 2022 4:26 PM
To: Boykin, Danla <Boykin.Danla@epa.gov>
Cc: Cruz, Auria <Cruz.Auria@epa.gov>; Chan, Suilin <Chan.Suilin@epa.gov>; Doctor, Katherine <Doctor.Katherine@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Danla, and Happy New Years to you and your family.

Below are emails for the attached assignment. Auria suggested I forward to you because she says we can't forward to another region. I took the task. Thank you.

From: Chan, Suilin <Chan.Suilin@epa.gov>
Sent: Wednesday, January 12, 2022 3:55 PM
To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>
Cc: Doctor, Katherine <Doctor.Katherine@epa.gov>; Laurita, Matthew <Laurita.Matthew@epa.gov>; Petriman, Viorica <Petriman.Viorica@epa.gov>
Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Ex. 5 Deliberative Process (DP)

Suilin

From: Cruz, Auria <Cruz.Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard <Ruvo.Richard@epa.gov>

Cc: Chan, Suilin <Chan.Suilin@epa.gov>

Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! 😊

Who should respond to this CMS?

Gracias

Auria

-----Original Message-----

From: Ruvo, Richard <Ruvo.Richard@epa.gov>

Sent: Wednesday, January 12, 2022 2:34 PM

To: Cruz, Auria <Cruz.Auria@epa.gov>

Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-

Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.

Thanks, Rick

-----Original Message-----

From: cmsadmin@epa.gov <cmsadmin@epa.gov>

Sent: Wednesday, January 12, 2022 2:08 PM

To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>

Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for Construction-Related Air Emissions

From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at <https://cms.epa.gov/cms>. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS.Information@epa.gov.